

Spartan Chemical Company, Inc. Material Safety Data Sheet

Sporton Dust Mop Dust Cleth

SECTION I: PRODUCT INFORMATION

TREatmeant

Product Name or Number (as it appears on label):

Product Division:

DUST MOP / DUST CLOTH TREATMENT (BULK)

Janitorial

Product Number: 3013; 3213

Spartan Chemical Company, Inc.

9/27/06 Product/Technical 1-(800)-537-8990 Information:

1110 Spartan Drive

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spil CHEMTREC 1-(800) 424-9300 (24 hours)
Emergency:

Maumee OH 43537

Shipping Description: Cleaning compounds, liquid, n.o.s.			
NFPA Ratings:		HMIS Ratings:	
Health:	1- Slight	Health:	I - Slight
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal
		Pers. Prot. Equip.:	See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

The second secon		Table Z- 1 - A		NTP, IARC		
		CAS Registry			CELING	or OSHA
Chemical Name(s)	% W	No.	TWA mg/m ³	STEL mg/m ³	mg/m ³	Carcinogen
Petroleum distillates	1-5	64742-46-7	5 [oil mist]	Not Established	Not Established	No
*Ethylene glycol	1-5	107-21-1	Not Established	Not Established	127 (ACGIH)	No
Triethanolamine oleate	1-5	2717-15-9	Not Established	Not Established	Not Established	No
Alcohol ethoxylate	1-5	68131-39-5	Not Established	Not Established	Not Established	No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

SECTION III: PHYSICAL DATA

Boiling Point:	210-212 °F	Vapor Pressure:	Undetermined	
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Forms an emulsion.	
pH:	8.5-9.5	Specific Gravity (H ₂ O=1):	1	
Evaporation Rate (but.ace.=1):		Percent Solid by Weight:	10-12	
Physical State:	Liquid			
Appearance & Odo	Appearance & Odor: Opaque white liquid, fresh fragrance.			

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
	dia: Product does not support combustion. Use extinguishing media appropriate for surrounding fire.		
	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Combustion products are toxic.		

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Oral
Effects of Overexposure Conditions to Avoid	swelling. HARMFUL IF SWALLOW! diarrhea. INHALATION OF SPRAY! Breathing spray mist may caus Contains ethylene glycol which animals and may cause kidney Avoid contact with eyes, skin	RRITATION: Symptoms may include pain, redness and ED. Symptoms may include nausea, vomiting, pain and MIST MAY CAUSE RESPIRATORY IRRITATION. e coughing and difficulty breathing. In has been shown to produce birth defects in laboratory and nervous system damage. or clothing. Do not swallow. Avoid breathing product of food. Wash thoroughly with soap and water after
Conditions Aggravated by Use:	Use of this product may aggravincluding asthma and dermatiti	vate preexisting skin; eye and respiratory disorders s.

Emergency & First Aid Procedures:

	Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention if irritation persists.
	Remove contaminated clothing. Flush skin with water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse.
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. Get medical attention if irritation persists.

SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials: Strong oxidizers	
Hazardous Decomposition Products:	11	Hazardous Will Not Occur Polymerization:	

SECTION VII: SPILL OR LEAK PROCEDURES

OLCITOR FILLOTADE GALL	
Material is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for recovery or disposal.
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

	Not normally required when good general ventilation is provided. However, if exposure limits (see Section II) are exceeded or respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.
	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Type):	Rubber or other impervious gloves.
	Splash goggles are recommended to prevent eye contact.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

SECTION IX: SPECIAL PRECAUTIONS

Precautions: Handling &	Do not contaminate water, food or feed by storage or disposal. Keep from freezing.
Storing:	
Other Precautions:	Keep out of reach of children.

© SCC 08/03/2006 DUST MOP / DUST CLOTH Name:

Ronald T. Cook

Title:

Manager, Regulatory Affairs

TREATMENT (BULK)

Effective

08/03/2006

Date:

Supercedes: 06/30/2005

Ref: 29 CFR 1910.1200 (OSHA) Changes: Correct Section III

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.